

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
30 August 2001 (30.08.2001)

PCT

(10) International Publication Number
WO 01/62106 A1

- (51) International Patent Classification⁷: A23L 1/18
- (21) International Application Number: PCT/IB01/00342
- (22) International Filing Date: 21 February 2001 (21.02.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
0004177.2 22 February 2000 (22.02.2000) GB
- (71) Applicant (for all designated States except US): N.V. MASTER FOODS S.A. [BE/BE]; Industrielaan 5, B-2250 Olen (BE).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): MERTENS, Willy [BE/BE]; Joris Vangeelstraat 14, B-2260 Westerlo (BE). OTTEN, Paul [BE/BE]; Boerenkrijglaan 84, B-2200

Herentals (BE). SPOREN, Frieda [BE/BE]; Maasveld 16, B-3530 Houthalen (BE).

(74) Agents: JAMES, Anthony, Christopher, W., P. et al.; Carpmac's & Ransford, 43 Bloomsbury Square, London WC1A 2RA (GB).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: CEREAL SNACK COMPRISING A BODY OF EXPANDED AND BONDED CEREAL GRAINS



(57) Abstract: The invention provides cereal snack foods comprising a body of expanded and bonded cereal grains, wherein the cereal grains have been flattened by rolling prior to expansion. The cereal grains may be rice grains. The invention also provides a process for the production of such snack foods, the process comprising the steps of: providing a plurality of cereal grains having a moisture content sufficiently high to render the grains plastic; compressing the cereal grains to flatten the grains; where necessary drying and/or rehydrating the flattened cereal grains to a moisture content of from about 10 % by weight to about 20 % by weight; introducing the dried cereal grains into a mold; and applying heat and pressure to puff and bond the dried cereal grains in the mold to form the body.

WO 01/62106 A1

EPO - DG 1
12.06.2002
(54)

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

CEREAL SNACK COMPRISING A BODY OF EXPANDED AND BONDED CEREAL GRAINS

5

SPECIFICATIONField of the Invention

The present invention relates to snack foods comprising a body of
10 expanded and bonded cereal grains, and to improved processes for the
manufacture thereof.

Background of the Invention

It is known to produce snack foods comprising a body of expanded and
15 bonded cereal grains. For example, rice cakes are commercially available
products formed from puffed rice grains that are bonded together by heat and
pressure, without the use of a binder. The rice cakes have low density and low
moisture content, and are typically the shape and size of a cookie or rusk. Similar
puffed (also known as expanded) cereal cakes can be made with many other
20 cereal grains including (but not limited to) wheat, millet, buckwheat, barley or
corn.

Rice cakes are currently made by a process comprising the steps of: (1)
providing a mold comprising a plurality of mold elements including a reciprocally
25 moveable piston element for compressing rice gains inside the mold; (2)
introducing a predetermined quantity of unpuffed rice to the mold, the average
moisture content of this rice being from 12 to 17% by weight; (3) compressing the
rice grains in the mold at from 3MPa to 15MPa (30 to 150 bar) pressure; (4)
heating the rice grains in the mold to a temperature of 170-320°C; (5) moving the
30 piston element to expand the mold by a predetermined amount, wh reupon the
heated rice grains expand and bond to form the rice cake, followed by (6)
removing the finished rice cake from the mold.

Typically, the steps of heating, compressing and expanding the mold are carried out substantially concurrently in a suitably adapted mold apparatus that can provide high pressures and temperatures, together with precisely controlled expansion of the mold in the puffing step. Such rice puffing molds are described in
5 a number of patent specifications, including US patents nos. 4,281,593 and 4,667,588, the entire contents of which are expressly incorporated herein by reference.

Expanded rice cakes are attractive as snack foods to health-conscious
10 consumers because of their low fat content. The fat content of a rice cake is of the order of 0.5% by weight. This compares with 30-40% by weight fat content for a normal potato chip. Even the "reduced fat" potato chips that are now appearing on the market contain 20-25% by weight of fat. Other low-fat snack foods rely on the use of fat substitutes such as OLESTRA (Registered Trade Mark), which present
15 regulatory and other difficulties.

A disadvantage of currently known rice cakes is that they have a very dry mouth feel, which reduces their consumer acceptability and reduces the rate at which they can be consumed. The problem of dry mouth feel is especially severe
20 for savory flavored snacks.

US patent no. 4,888,180 describes the formation of expanded cereal cakes, in particular rice cakes. The process comprises a preliminary step of steaming the rice grains to a moisture content of 18 to 25% to at least partially gelatinize the
25 starch in the grains, followed by drying the grains to a moisture content below about 18% and puffing the grains under pressure to form rice cakes in conventional fashion. The resulting cakes are said to be less fragile than those made from ungelatinized rice. There is no disclosure of rolling the hydrated rice grains to flatten the grains before puffing.

30

It is an object of the present invention to provide improved snack foods for both human and animal consumption based on expanded cereal cakes having

greatly improved texture and mouth feel compared to previously known cereal cake products.

It is a further object of the present invention to provide processes for the
5 production of such improved expanded cereal cakes.

Detailed Description of Preferred Embodiment

In a first aspect, the present invention provides a cereal snack comprising a
10 body of expanded and bonded cereal grains, wherein the cereal grains have been flattened by rolling prior to forming the expanded and bonded body.

The cereal snack may consist essentially of the body of expanded and bonded cereal grains, or it may further comprise a coating of a flavoring material or
15 a functional material on the said body. Suitable flavoring materials include sweet coatings such as sugar coatings or chocolate coatings. Alternatively, the coating may comprise a savory flavoring material, such as salt, cheese powder, barbeque flavor, mesquite flavor, chilli powder, and the like. Suitable functional coatings include vitamins, minerals, amino acids and the like.

20

The body of expanded and bonded cereal grains may form the core of the snack food according to the present invention. The body is formed by the simultaneous expansion and bonding together of the cereal grains at elevated temperature and pressure, resulting in direct bonding between the expanded
25 grains as in a conventional expanded cereal cake. In certain embodiments, the body of the snack consists essentially of said expanded and bonded cereal grains. In other embodiments, flavoring or coloring agents may also be present in the core. Additional food ingredients such as flavoring agents, lipids, sugars or dietary supplements such as vitamins and minerals may also have been infused into the
30 cereal grains before the expansion step, as described in our copending European patent application no. 99309734.4.

In certain embodiments, the body of expanded and bonded cereal grains is substantially round, oval or polygonal. The body may alternatively have a fancy shape, such as a dog bone shape for a pet food snack.

5 The body of expanded and bonded cereal grains may be a disk or flat wafer shape having substantially flat upper and lower surfaces. It is a particular advantage of the present invention that it enables very thin expanded cereal snack wafers to be made having good structural integrity. Preferably, the thin wafers have a thickness of from 1 to 5 mm.

10 In other embodiments the top surface and/or the bottom surface of the snack body is non-flat, for example it may be in the shape of a cup, or is saddle-shaped, or wave-shaped or some intermediate shape therebetween. The surface of the body may be slightly rough and granular, but generally less so than for
15 conventionally known rice cakes.

 The shape of the snack body may be somewhat irregular. Preferably, the body of expanded and bonded cereal grains is generally in the form of a chip having a mean diameter of from 20 mm to 150 mm, preferably of from about 20
20 mm to about 45mm and a mean thickness of from 1 to 15 mm, preferably of from about 1mm to about 8mm. More preferably, the mean thickness is in the range of 2mm to 5mm. The volume of the snack body may be in the range 1 cm³ to 10 cm³, preferably 2 cm³ to 6 cm³, as determined by the conventional particle displacement method used for bakery goods.

25

 The cereal grains may be any starchy grains suitable for forming a puffed cereal cake including (but not limited to) rice, wheat, millet, buckwheat, barley, corn, and mixtures thereof. Preferably, the cereal grains comprise rice, and more preferably they consist essentially of rice. Long grain rice varieties are preferred.
30 The grains may be whole grains or partially milled grains, for example so-called brown rice. Preferably, the cereal grains are milled grains, i.e. grains from which the bran (pericarp) has been removed by milling to leave the starchy endosperm.

The cereal grains may be whole grains, or they may be broken grains. The term "grains" in this specification refers to whole or broken natural starchy endosperms. Powdered, reconstituted or extruded starch pieces may optionally be included as a minor constituent of the cereal core in addition to the whole or
5 broken grains.

The cereal grains have been flattened by compression prior to expansion and bonding. That is to say, the grains while in a plastic state have been passed through a roller gap that is sufficiently small to permanently deform them before
10 introduction into the cereal cake puffing machine. The compression results in a disruption of the cellular and starch granule structure of the grains, with surprising consequences for the finished cereal cake products.

It has been found that cereal cakes according to the present invention have
15 a much pleasanter and less dry mouth feel than cereal cakes made in identical fashion, but without rolling of the cereal grains before puffing. Furthermore, the crispness of the cereal cakes is actually improved relative to the cakes made with non-rolled grains. The texture and porosity of the cereal cores is also improved in the snacks according to the present invention. These improved properties are
20 achieved without any loss of integrity or taste.

The improved mouth feel of the cereal cores is reflected in their more rapid uptake of water from a humidified atmosphere as measured by the procedure described below. Preferably, the body of the snack has an equilibrium moisture
25 uptake after 60 minutes at 30°C and 90% relative humidity of at least 10% by weight based on the weight of the dry snack body, more preferably at least 12% by weight.

The body of the snack preferably has a bulk density as determined by a
30 particle displacement method of from about 0.11 to 0.23 g/cm³, more preferably about 0.13 to 0.21 g/cm³, and most preferably from 0.15 to 0.19 g/cm³.

It is a particular advantage of the snack foods according to the present invention that they provide a pleasant mouth feel without high fat (lipid). In many embodiments, the cereal snack according to the present invention comprises less than 20% by weight of fat, preferably less than 10% by weight of fat, and more preferably less than 5% by weight of fat. In certain preferred embodiments of the invention, the fat content is less than 3% by weight, thereby qualifying the snack food to be sold as a "low fat" product under current regulatory provisions in Europe.

10 In a second aspect, the present invention provides a process for the preparation of a cereal snack comprising a body of expanded and bonded cereal grains, said process comprising the steps of:

providing a plurality of cereal grains;

compressing said cereal grains to flatten the grains;

15 where necessary drying and/or rehydrating said flattened cereal grains to a moisture content of from about 10% by weight to about 20 % by weight; followed by

introducing said flattened cereal grains into a mold;

applying heat and pressure to said flattened cereal grains in said mold; and

20 expanding said mold to allow said cereal grains to expand to form said body.

The cereal grains are normally provided at a moisture content and temperature at which the grains are at least somewhat plastic, whereby
25 compressing the grains results in plastic deformation to flatten the grains substantially without shattering the grains. The plurality of cereal grains preferably has a moisture content preferably in the range of from about 18% by weight to about 30% by weight when fed to the compressing step.

30 In certain embodiments, the plurality of grains consists essentially of parboiled grains. Parboiling is the name given to the treatment of raw cereal grains with water or steam and heat to substantially gelatinise the starchy endosperm of the grains. The grains are then normally dried to a moisture content

below about 16% resulting in a glassy, pregelatinised starchy endosperm. Parboiled grains may, for example, be rehydrated and tempered to render them sufficiently plastic for deformation by compression.

5 It is also possible to interrupt the drying process following the initial gelatinisation step to provide partially dried grains having a moisture content of 18 to 30% by weight. The starchy endosperm of such incompletely dried parboiled grains is still soft, somewhat resilient, but capable of plastic deformation. Such partially dried parboiled grains are especially suitable for rolling in the process of
10 the present invention, and have been found to produce surprisingly better rice cakes than rehydrated parboiled grains.

Parboiling is conventionally carried out on grains having both the bran and the outer husk attached thereto (e.g. so-called paddy rice). However, it has been
15 found by the present inventors that substantially improved flavor properties are achieved in the final expanded cereal products if the parboiling is carried out on grains that have been hulled to remove the husk therefrom, but not milled (e.g. so-called brown or cargo rice).

20 Accordingly, the step of providing in the process according to the present invention preferably comprises the step of treating raw hulled cereal grains with water or steam at a temperature and for a time sufficient to substantially gelatinize the starch in the grains, wherein the raw hulled grains are substantially unmilled.

25 The treated grains will normally have a moisture content above 30% by weight, in which case the grains are then dried. Preferably a partial drying to a moisture content of 18-30% by weight, more preferably 20-25% by weight is carried out. In certain preferred embodiments the partially dried grains are milled at the elevated moisture content of 18 to 30% to remove at least a portion of the
30 bran therefrom prior to the compressing step. The techniques of milling at elevated moisture contents are described in detail in WO97/49300. Cereal products milled in this way have unique properties that render them especially suitable for use in the processes of the present invention.

Preferably, the treated and optionally milled grains are fed to the step of compressing substantially without intermediate drying to a moisture content below 18%. This reduces the amount of energy needed, and has also been found to
5 give an improved product.

Preferably, the step of compressing reduces the average thickness of the grains to from about 90% to about 10% of the average thickness before compressing, more preferably from 50% to 90% so as to preserve the free-flowing
10 nature of the grains. In certain embodiments, for example in the compression of long grain rice, the step of compressing preferably reduces the average thickness of the grains from a mean of about 1.6mm to from about 0.2mm to about 1.4mm, more preferably to 1.0 mm to 1.4 mm. The temperature of the compressing step is preferably in the range of from about 10°C to about 100°C, typically from 25°C to
15 60°C. Preferably, the compressing is carried out by rolling.

For example, rice grains may be compressed at 24% moisture content and about 40°C, for example by passing through smooth rollers that are pressed together by a predetermined spring loading to produce flattened rice kernels
20 having a thickness of about 1.2mm depending on the rice flow rate (the starchy grains remain somewhat resilient at this moisture content and temperature).

The step of compressing is followed where necessary by steps of drying and/or rehydration. The drying may be needed to produce an intermediate
25 product that is storage stable, or to reduce the moisture content to the optimum range for puffing, which is thought to be about 12 to 18% moisture content by weight. The rehydration step may be needed in order to rehydrate an intermediate storage stable product, or to achieve a desired moisture gradient such that the moisture content near the surface of the grains is higher than the moisture content
30 in the center of the grains. This is thought to result in expanded products having better physical properties. Both the drying step and the rehydration step may be combined with a tempering step in order to achieve the desired moisture content gradient in the grains.

In certain preferred embodiments, the grains are compressed at about 18 to 25% moisture content, then dried to about 12-14% moisture content, then rehydrated to up to 16% moisture content (all percentages by weight) and finally
5 tempered at ambient temperature for from 1 to 3 hours.

The steps of loading, compressing, heating and expanding the flattened cereal grains into cereal cakes is carried out in substantially conventional fashion as described in the above-referenced patent publications. For example, the steps
10 may be carried out with heating at a temperature of from about 170°C to about 320°C with a cycle time of from about 1 to about 20 seconds, preferably about 5 to 10 seconds. It is thought that the initial step of compressing and heating achieves bonding between the compressed grains in their hot, plastic state. The expansion of the mold then allows the bonded grains to expand to form the expanded bonded
15 cereal body.

It is a particular advantage of the present invention that the flattened cereal grains have improved expansion properties, possibly in part due to faster thermal conduction into the flattened grains. This permits excellent expansion to be
20 achieved with a shorter cycle time, and in particular with a shorter heating/compressing stage of the cycle. As well as improving throughput, the shorter heating stage results in less carbonisation of the mold and hence less machine down time for cleaning.

25 It has also been found that the flattened cereal grains are especially suitable for forming extremely thin cereal bodies that are substantially free from holes, gaps or regions of weakness. This may be because the flattened grains can plasticise and flow more readily under the influence of heat and pressure to form a uniform body in the mold. It enables the grains to be dosed to the mold at
30 extremely low densities, for example from about 0.03g of grains per cm² of mold area to about 0.1g of grains per cm² of mold area, preferably from about 0.04g/cm² to 0.07g/cm². Consequently, the expanded grain bodies preferably

have a weight per unit area of from about 0.03g/cm^2 to about 0.1g/cm^2 , more preferably from about 0.04g/cm^2 to about 0.08 g/cm^2 .

The expanded cereal core bodies can be coated with flavoring agents in
5 conventional fashion, for example by a rotating pan coater, a rotating disc spray coater, or other methods well known in the art.

In certain preferred embodiments of the present invention, the method further comprises the step of infusing an additional food ingredient into the grains
10 prior to the puffing step by treating the grains with the food ingredient dissolved or dispersed in water. The food ingredient is preferably selected from the group consisting of sugars, flavoring agents, dietary supplements and mixtures thereof. Suitable methods are described in our copending European patent application no. 99309734.4.

15

Specific embodiments of the present invention will now be described further with reference to the following examples and the accompanying drawings, in which:

Figure 1 shows a photomicrograph at approximately 15x magnification of a
20 comparative expanded rice core made in accordance with Example 1;

Figure 2 shows a photomicrograph at approximately 15x magnification of an expanded rice cake core for a snack food according to the present invention, made in accordance with Example 2; and

Figure 3 shows a graph of percentage weight increase against time for the
25 expanded rice cores of Examples 1 (open squares) and 2 (solid squares) when placed in a humidified atmosphere for the determination of equilibrium moisture content.

In examples 1 and 2, a tasting panel assessed the following
30 characteristics of the cereal cakes: hardness, mouth drying, crispness, graininess (grittiness), time release of flavor, duration of flavor, irregularity and color. Quantitative measurements were carried out to evaluate density and texture, as detailed further below.

Example 1 (comparative)

A conventional rice cake containing no flattened rice grains was prepared
5 as follows.

A sample of rice was parboiled as described in the examples of US-A-
5130153. Briefly, the parboiling was carried out as follows. A 500 kg sample of
the rice, from which the husks, but not the bran, had been removed was fed into a
10 hot steeper bath containing water at 71°C. The residence time of the rice in the
water was 4.5 minutes. During transit through the steeper, the moisture of the rice
was raised to 25%.

The rice was then transported to a dewatering belt to remove surface water
15 from the rice. The residence time of the rice on the belt was between 30-60
seconds. The rice was fed from the belt directly into a steamer, in which steam at
106°C and about 0.20 bar overpressure was applied to the rice. The residence
time of the rice in the steamer was 30 minutes. During its transit through the
steamer, the moisture of the rice was raised to about 28% and its temperature was
20 raised to 106°C.

The steamed rice was then fed into a continuous microwave unit operating
at 133 to 136°C and an overpressure of about 3.5 bar. The residence time of the
rice in the microwave unit was 4 minutes. During its residence time in the
25 microwave unit, the starch in the rice grains was fully gelatinized.

The rice was then passed to a pressure reduction system, wherein the
pressure on the rice was released in 2-3 steps over a period of 1 to 6 minutes.
During this time, the temperature of the rice fell to about 100°C, its moisture was
30 reduced to about 25% and the pressure fell to atmospheric pressure. The rice
was then partially dried, cooled to about 35°C and milled at 19-24% moisture
content in three stages in a vertical rice mill with intermediate rehydration steps to

remove the bran therefrom. The rice was then further dried in a conventional grain dryer to 13% by weight moisture content.

During the milling process, some of the rice kernels were broken into
5 smaller pieces by the action of the mills. This broken rice was sorted from whole kernel rice by various methods known to those skilled in the art. The broken rice sorted from this process was used as the base cereal ingredient for expanded rice cakes, as follows.

10 1000 grams of the broken rice at a moisture content of 12.9% was blended with 25 grams of water in a mixing bowl by hand for approximately 5 minutes (until the mixture was free-flowing). This rice was then put into a sealed container at room temperature for 2 hours for the moisture to equilibrate. Once equilibrated,
15 the rice was fed into an Incomec Cerex-21-MI rice cake machine (Bramecon n.v.; Brakel, Belgium). The puffing conditions used for a 4.5cm diameter mold containing 2g of the rice were: 8-10Mpa hydraulic pressure, 7 seconds heating and compression time prior to expansion, and 275°C temperature. These conditions were found, through discussions with the equipment manufacturer and by experience, to be the best conditions for producing consistently strong, good
20 quality rice cakes.

The resulting rice cakes have a diameter of about 45mm, a thickness of about 8mm and a bulk density of about 0.183 g/cm³ with a standard deviation of 0.013 g/cm³. The volume of the snacks was 11 cm³ with a standard deviation of
25 0.41 cm³. It can be seen from Fig. 1 that the rice cakes have a non-uniform porosity, with a granular structure consisting of distinct expanded rice kernels bonded together being clearly visible. It can be seen from Figure 3 that the rice cakes take up moisture from a humidified atmosphere relatively slowly and approach the equilibrium moisture content only after about 200 minutes.

30

The fat content of the rice cakes is only about 0.5% by weight. Unfortunately, the rice cakes have a dry, "tooth-sticking" mouth feel that is especially apparent with savory flavor coatings, such as salt. Furthermore, the

texture of the rice cakes is non-uniform and slightly chewy instead of perfectly crisp. These texture properties are also apparent from the texture analysis measurement described below, which gave a value of 1132g with a high standard deviation of 506g.

5

Example 2

The method of Example 1 was repeated, but with an intermediate compression step carried out on the debranned rice exiting from the mill at 24% moisture content and about 40°C. This rice is passed through rollers spaced at 10 0.05 mm at near-ambient temperature. The rice undergoes plastic deformation substantially without fragmentation to give flattened grains approximately 0.2 mm thick. The flattened grains are then dried to about 12-17% moisture content, preferably about 13% moisture content, and puffed into cakes as described in Example 1.

15

The resulting rice cakes have good colour and crispness. The improved crispness and uniformity of the rice cakes is reflected in the texture analysis measurement detailed below. This gave a value of 762g, with a standard deviation of only 188g. The rice cakes have a diameter of about 45mm, a 20 thickness of about 2mm and a bulk density of 0.169 g/cm³ with a standard deviation of 0.022 g/cm³. By adjusting the parameters of the puffing machine it is possible to make non-planar rice cakes in dish, saddle, wave and intermediate shapes.

25

The fat content of the rice cakes is about 0.5% by weight. The appearance of the rice cakes is different from that of the rice cakes of Example 1, as can be seen from a comparison of Figs. 1 and 2. These show that the structure of the rice cakes of Example 2 are less obviously granular than the rice cakes of Example 1. The rice cakes of Example 2 have a more uniform porosity, with individual expanded 30 rice kernels being less obviously present.

The rice cakes of Example 2 have a notably pleasant texture and have a very much less dry mouth feel than the cakes of Example 1. This is especially

apparent with savory flavor coatings, such as salt. It seems that the rolling step has resulted in a change in the cellular structure or starch granule structure of the grains, and this has had a surprisingly large impact on the degree of expansion, structure and properties of the rice cake product.

5

The thermal properties of the expanded rice cakes made in accordance with this example were studied by differential scanning calorimetry (DSC). The results showed complete absence of a starch gelatinization peak. There was a small endotherm (about 0.5 mJ/mg) at about 110°C, which is thought to be due to the presence of amylose-lipid complexes.

10

The properties of the rice cakes were also studied by rapid viscoanalysis (RVA) on a 10% by weight dispersion of powdered rice cake in water using a temperature profile of: 5°C/min ramp up to 95°C; hold at 95°C for 5 minutes; ramp down 5°C/min to 50°C; hold at 50°C for 5 minutes. The results show marked differences between the viscosity vs. time plots for the rice cakes of Example 2 as compared with the rice cakes of Example 1.

15

Example 3

20

The method of Example 2 was repeated, but with the intermediate compression step carried out on the debranned rice exiting from the mill at about 22% moisture content and about 40°C. This rice is passed through rollers spring-loaded in compression at near-ambient temperature. The rice undergoes plastic deformation substantially without fragmentation to give flattened grains approximately 1.2 to 1.4 mm thick. The thickness of the flattened grains is determined by the rate of flow of the rice through the rollers and the compression force on the rollers. The less flattened grains are more free-flowing than the highly flattened grains of Example 2, while still giving excellent properties in the product. The flattened grains are then dried to about 13% moisture content, and then are rehydrated to 14.5% moisture content by stirring in a water spray for 20 minutes at ambient temperature. The rehydrated grains are allowed to stand at ambient temperature for 2 hours to achieve the optimum moisture gradient.

25

30

About 1.2g of the grains are loaded into each 4.5cm diameter mold. The grains are puffed into rice cakes with heating at about 270°C, pressure at about 4.1MPa at the mold face, and a cycle time of 5-10 seconds. The details of the expansion process are adapted by trial and error to produce the optimum rice cake.

The resulting rice cake has a very thin, crisp structure with a pleasant mouth feel and mild cereal taste. It can be consumed directly, in which case it contains less than 0.5% dietary fat.

Procedure 1 (density determination)

The volume and bulk density of the expanded cereal cake cores were determined by a displacement method, wherein the material being displaced consisted of glass microspheres. Eight measurements were carried out on different cores to obtain mean values and standard deviation. The results were as follows:

Cores of Example 1:	mean volume 11.0 cm ³	Standard deviation 0.41
	mean density 0.183 g/cm ³	Standard deviation 0.013
Cores of Example 2:	mean volume 8.62 cm ³	Standard deviation 0.51
	mean density 0.169 g/cm ³	Standard deviation 0.022

Procedure 2 (Texture Analysis)

The texture of the expanded cereal cakes was assessed using a TA-XT2 analyzer. In this device, a 2.5mm diameter cylinder is pushed 2 mm into the rice cake with a speed of 0.2 mm/sec. The force required in grams is measured as a function of distance in mm. The maximum force values were determined for five rice cracker samples, and mean values and standard deviations of these maxima were calculated. The mean maximum force values were as follows:

Cores of Example 1:	1132 g	Standard deviation 506
Cores of Example 2:	762 g	Standard deviation 188

Procedure 3 (Moisture uptake studies)

Expanded snack cores were weighed individually and then put in a climate controlled cabinet at 90% relative humidity and 30 °C. The samples were weighed
5 at intervals of from 15 minutes to 4 hours to obtain the data shown in Figure 3.

The above examples have been described for the purpose of illustration only. Many other examples falling within the scope of the accompanying claims will be apparent to the skilled reader. One skilled in the art will readily appreciate
10 that the present invention is well adapted to carry out the objects and obtain the ends and advantages mentioned as well as those inherent therein. The snack foods, methods, processes and procedures described herein are presently representative of the preferred embodiments are exemplary and are not intended as limitations on the scope of the invention. Changes therein and other
15 procedures and uses will occur to those skilled in the art which are encompassed within the spirit of the invention and are defined by the scope of the claims.

All patents and publications mentioned in this specification are indicative of the level of those skilled in the art to which the invention pertains. All patents,
20 publications herein are incorporated by reference to the same extent as if each individual publication was specifically and individually indicated to be incorporated by reference.

CLAIMS

What is claimed is:

- 5 1. A cereal snack comprising a body of expanded and bonded cereal grains, wherein the cereal grains have been flattened by rolling prior to expansion.
2. A cereal snack according to claim 1, further comprising a coating of a flavoring material or a functional material on said body.
- 10 3. A cereal snack according to claim 2, wherein said coating comprises a savory flavoring material.
4. A cereal snack according to claim 2, wherein said coating comprises a
15 sweet flavoring material.
5. A cereal snack according to any preceding claim, wherein the body of the snack is in the form of a chip having a mean diameter of from about 20mm to about 45mm and a mean thickness of from about 1mm to about 8mm.
- 20 6. A cereal snack according to any preceding claim, wherein the body of the snack is substantially round, oval or polygonal.
7. A cereal snack according to any one of claims 1 to 5, wherein the body of
25 the snack has a fancy shape.
8. A cereal snack according to any preceding claim, wherein the body of the snack has substantially flat and parallel upper and lower surfaces.
- 30 9. A cereal snack according to claim 8, wherein the body of the snack has a thickness of from 1 to 5 mm.

10. A cereal snack according to any one of claims 1 to 7, wherein the top surface and/or the bottom surface of the snack body is cup shaped, wave shaped or saddle shaped.
- 5 11. A cereal snack according to any preceding claim, wherein said body of the snack has a volume as determined by a particle displacement method of from about 1 cm³ to about 10 cm³.
12. A cereal snack according to any preceding claim, wherein said body of the
10 snack has a weight per unit area of from about 0.03g/cm² to about 1g/cm².
13. A cereal snack according to any preceding claim, wherein said body of the snack has an equilibrium moisture uptake after 60 minutes at 30°C and 90% relative humidity of at least 10% by weight based on the weight of the dry snack
15 body.
14. A cereal snack according to any preceding claim, wherein the said body of the snack consists essentially of said expanded and bonded cereal grains.
- 20 15. A cereal snack according to any preceding claim, wherein the cereal grains consist essentially of whole or broken rice grains.
16. A cereal snack according to any preceding claim, wherein the snack comprises less than 20% by weight of fat.
- 25 17. A cereal snack according to claim 16, wherein the snack comprises less than 10% by weight of fat.
18. A cereal snack according to claim 17, wherein the snack comprises less than
30 5% by weight of fat.
19. A cereal snack according to claim 18, wherein the snack comprises less than 3% by weight of fat.

20. A cereal snack according to any preceding claim, wherein an additional food ingredient has been infused into the cereal grains prior to expansion.
- 5 21. A cereal snack according to claim 20, wherein the additional food ingredient is selected from the group consisting of sugars, flavoring agents, dietary supplements and mixtures thereof.
22. A process for the preparation of a cereal snack comprising a body of
10 expanded and bonded cereal grains, said process comprising the steps of:
 providing a plurality of cereal grains;
 compressing said cereal grains to flatten the grains;
 where necessary drying and/or rehydrating said flattened cereal grains to a
moisture content of from about 10% by weight to about 20 % by weight; followed
15 by
 introducing said flattened cereal grains into a mold;
 applying heat and pressure to said flattened cereal grains in said mold; and
 expanding said mold to allow said cereal grains to expand to form said
body.
20
23. A process according to claim 22, wherein said plurality of cereal grains fed to said step of compressing has a moisture content in the range of from 18% by weight to 30% by weight.
- 25 24. A process according to claim 22 or 23, wherein said grains consist essentially of whole or broken kernels of long grain rice, and said step of compressing reduces the average thickness of the grains to a mean of from about 0.2mm to about 1.4mm.
- 30 25. A process according to claim 22, 23 or 24, wherein said step of compressing reduces the average thickness of the grains to from 90% to 25% of the average thickness before compressing.


26. A process according to any one of claims 22 to 25, wherein said step of compressing is carried out at a temperature of from 10 to 100 °C.
27. A process according to any one of claims 22 to 26, wherein said plurality of
5 grains consist essentially of parboiled grains.
28. A process according to any one of claims 22 to 27, wherein said step of providing a plurality of cereal grains comprises the steps of: treating raw hulled cereal grains with water or steam at a temperature and for a time sufficient to
10 substantially gelatinize the starch in the grains, wherein said raw hulled grains are substantially unmilled.
29. A process according to claim 28, wherein the step of treating is followed by adjusting the moisture content of the grains to a range of from about 18% to about
15 30% by weight and milling the grains at said moisture content of from about 18% to about 30% by weight to remove at least a part of the bran therefrom.
30. A process according to claim 28 or 29, wherein the treated and optionally milled grains are fed to the step of compressing substantially without intermediate
20 drying to a moisture content below 18%.
31. A process according to any one of claims 22 to 30, wherein following said step of compressing, the flattened grains are dried to a moisture content of about 12 to about 14% and are then rehydrated to a moisture content of up to about
25 16%, optionally with tempering, before the grains are introduced into the mold.
32. A process according to any one of claims 22 to 31, wherein the step of heating is carried out at a mold temperature of from about 170°C to about 320°C, and molding cycle time is from about 1 to about 20 seconds.
- 30 33. A process according to any one of claims 22 to 32, further comprising the step of infusing an additional food ingredient into the grains prior to the grains are

introduced into the mold by treating the grains with the food ingredient dissolved or dispersed in water.

FIG. 1



FIG. 2






FIG. 3

INTERNATIONAL SEARCH REPORT

International Application No

PCT/IB 01/00342

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A23L1/18

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, PAJ, EPO-Internal, FSTA

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	EP 1 008 307 A (MASTER FOOD S A NV) 14 June 2000 (2000-06-14) column 1, line 23 - line 42 column 10, line 23 - line 36 column 11, line 3 - line 23 column 13, line 3 - line 9 claims 1,2,12,14,16	1-15,20, 21
X	EP 0 672 353 A (BYRON AGRICULTURAL CO) 20 September 1995 (1995-09-20)	1,6,7, 11, 13-15, 20,21 22-33
A	claims 1,5,8,10 column 2, line 45 - line 54 column 3, line 55 - column 4, line 3 column 5, line 40 - column 6, line 22 column 6, line 43 - column 7, line 3 — —/—	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- *&* document member of the same patent family

Date of the actual completion of the international search

11 June 2001

Date of mailing of the international search report

19/06/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel (+31-70) 340-2040, Tx. 31 651 epo nl
Fax: (+31-70) 340-3016

Authorized officer

Heezius, A

INTERNATIONAL SEARCH REPORT

International Application No

PCT/IB 01/00342

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 871 793 A (CAPODIECI ROBERTO A) 16 February 1999 (1999-02-16)	1-10, 13-15, 20,21 22-33
A	claims 1,2; examples 1-4 column 3, line 1 - line 3 column 4, line 12 - line 48 column 5, line 29 - line 37	
A	US 5 817 355 A (ZUKERMAN HAROLD W ET AL) 6 October 1998 (1998-10-06) column 2, line 1 - line 26; claims 1-3,6,7; example 2	1-21
X	WO 96 19117 A (BYRON AGRICULTURAL CO ;LEWIS DAVID ADRIAN (AU); LEWIS VICTOR MARCUS) 27 June 1996 (1996-06-27)	1-3, 6-10, 13-21 22-33
A	page 11, line 30 -page 12, line 18; claims 1,3,4,7,9,11-14,17,20,22,24,25; example 3	

INTERNATIONAL SEARCH REPORT

International Application No
PCT/IB 01/00342

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 1008307	A	14-06-2000	GB 2344504 A AU 6437499 A CN 1266634 A	14-06-2000 15-06-2000 20-09-2000
EP 0672353	A	20-09-1995	AU 685556 B AU 1232295 A DE 69503940 D DE 69503940 T US 5520949 A	22-01-1998 21-09-1995 17-09-1998 10-12-1998 28-05-1996
US 5871793	A	16-02-1999	AU 5366698 A WO 9825479 A US 6068868 A	03-07-1998 18-06-1998 30-05-2000
US 5817355	A	06-10-1998	CA 2210860 A	09-03-1998
WO 9619117	A	27-06-1996	AU 698263 B AU 3974695 A BR 9510262 A CA 2206775 A CN 1170339 A EP 0798970 A JP 10511545 T NZ 296044 A	29-10-1998 10-07-1996 04-11-1997 27-06-1996 14-01-1998 08-10-1997 10-11-1998 19-12-1997